

Eminent

PRODUCT SPECIFICATION

Dryback
Selling Code
14137

Click
Selling Code
14139

ABINGDON
FLOORING

Simply

SMOOTH



Discover

THE EMINENCE RANGE: A BLEND OF DURABILITY AND STYLE

Designed to elevate any space, Eminence offers exceptional features that ensure both beauty and performance.

KEY FEATURES

Durable Dryback or Click Installation: Choose from a robust dryback system or click system providing a secure and lasting installation that withstands the test of time.

Durable: Featuring a 0.55mm wear layer, this flooring is engineered for high resistance to scratches, scuffs, and everyday wear, making it ideal for both residential and commercial settings.



Generous Plank Size: The planks measure 1219 x

184mm for the dryback and 1230 x 180mm for the click, offering a modern and spacious aesthetic that enhances the visual appeal of any room.

Realistic Design: Experience the ultimate in realism with our emboss in register technology, which aligns the texture with the design pattern for a truly authentic wood look and feel.

4-Sided Bevel Edge: Each plank is finished with a 4-sided bevel edge, adding depth and dimension to the flooring, and creating a seamless, polished look.

Impressive Warranty: An impressive 15 year residential wear warranty ensures Eminence is perfect for the busy family home.



EMINENCE

Dryback
Selling Code
14137

Click
Selling Code
14139

ENGINEERED

Dryback
Selling Code
14137

Click
Selling Code
14139

Dryback

PRODUCT INFORMATION	SPECIFICATION
COLOURS	6
PLANKS PER PACK	15
COVERAGE PER PACK	3.36m ²

DIMENSIONS	SPECIFICATION	STANDARD
THICKNESS	2.5mm	
WEAR LAYER	0.55mm	
LENGTH	184mm	
WIDTH	1219mm	
GROOVE	4 side bevel	

ESSENTIAL CHARACTERISTICS	SPECIFICATION	STANDARD
REACTION TO FIRE	Class Bfl – s1	
EMISSION OF FORMALDEHYDE	Class E1	
CONTENT OF PCP		
THERMAL CONDUCTIVITY		
SLIP RESISTANCE	DS	
SLIP RESTRAINT		

WARRANTY
RESIDENTIAL 15

Click

PRODUCT INFORMATION	SPECIFICATION
COLOURS	6
PLANKS PER PACK	10
COVERAGE PER PACK	2.214m ²

DIMENSIONS	SPECIFICATION	STANDARD
THICKNESS	5.5mm	
WEAR LAYER	0.55mm	
LENGTH	180mm	
WIDTH	1230mm	
GROOVE	4 side bevel	

ESSENTIAL CHARACTERISTICS	SPECIFICATION	STANDARD
REACTION TO FIRE	Class Bfl – s1	
EMISSION OF FORMALDEHYDE	Class E1	
CONTENT OF PCP		
THERMAL CONDUCTIVITY		
SLIP RESISTANCE	DS	
SLIP RESTRAINT		

WARRANTY
RESIDENTIAL 15

* All results are produced from testing of representative production samples and as such are subject to normal tolerances within manufacturing