

ARTISAN

PRODUCT SPECIFICATION

Dryback
Selling Code
14141

Click
Selling Code
14143

ABINGDON
FLOORING

Simply

SMOOTH



ARTISAN

Dryback
Selling Code
14141

Click
Selling Code
14143

Delve into

THE ARTISAN RANGE: EXQUISITE DESIGN AND DURABILITY

This luxury vinyl tile is meticulously crafted to bring a touch of sophistication and lasting performance to any interior.

KEY FEATURES

Durable Dryback or Click Installation: Designed with a robust dryback system or click system, that ensures a secure and long-lasting installation, perfect for high-traffic areas.

Scratch resistant: With a 0.55mm wear layer, this flooring offers superior resistance to scratches, scuffs, and daily wear, making it suitable for both residential and commercial use.

Elegant Herringbone Plank Size: The plank size

is 750 x 125mm and the click size is 750 x 125mm, ideal for creating a classic herringbone pattern, adding a timeless and stylish touch to your floors.


Inspired by Nature: Experience unparalleled realism with our emboss in register technology, which synchronizes the texture with the design pattern for an authentic wood appearance and feel.

4-Sided Bevel Edge: Each plank features a 4-sided bevel edge, providing depth and dimension to your flooring and achieving a seamless, polished finish.

Buy with confidence: An impressive 15 year residential wear warranty ensures Artisan is perfect for the hustle and bustle of family life.




Smoky Oak




Brushed Oak



Antique Walnut



Weathered Cedar



Chestnut



Urban Grey

ARTISAN

Dryback
Selling Code
14141

Click
Selling Code
14143

PRODUCT SPECIFICATION

Dryback

PRODUCT INFORMATION	SPECIFICATION	
COLOURS	6	
PLANKS PER PACK	24	
COVERAGE PER PACK	2.25m ²	
DIMENSIONS	SPECIFICATION	STANDARD
THICKNESS	2.5mm	
WEAR LAYER	0.55mm	
LENGTH	750mm	
WIDTH	125mm	
GROOVE	4 side bevel	
ESSENTIAL CHARACTERISTICS	SPECIFICATION	STANDARD
REACTION TO FIRE	Class Bfl – s1	
EMISSION OF FORMALDEHYDE	Class E1	
CONTENT OF PCP		
THERMAL CONDUCTIVITY		
SLIP RESISTANCE	DS	
SLIP RESTRAINT	R10	
WARRANTY		
RESIDENTIAL	15	

Click

PRODUCT INFORMATION	SPECIFICATION	
COLOURS	6	
PLANKS PER PACK	20	
COVERAGE PER PACK	1.875m ²	
DIMENSIONS	SPECIFICATION	STANDARD
THICKNESS	5.5mm	
WEAR LAYER	0.55mm	
LENGTH	750mm	
WIDTH	125mm	
GROOVE	4 side bevel	
ESSENTIAL CHARACTERISTICS	SPECIFICATION	STANDARD
REACTION TO FIRE	Class Bfl – s1	BS EN 14041
EMISSION OF FORMALDEHYDE	Class E1	BS EN 14041
CONTENT OF PCP		BS EN 14041
THERMAL CONDUCTIVITY		BS EN 14041
SLIP RESISTANCE	DS	BS EN 14041
SLIP RESTRAINT		
WARRANTY		
RESIDENTIAL	15	

* All results are produced from testing of representative production samples and as such are subject to normal tolerances within manufacturing