

MOSAIC

PRODUCT SPECIFICATION

Selling Code
14370

ABINGDON
FLOORING

Simply
SMOOTH



MOSAIC

Selling Code
14370

ABINGDON
FLOORING

PRODUCT SPECIFICATION

Simply
SMOOTH

Delve into

THE MOSAIC RANGE: HISTORIC STYLE REIMAGINED

KEY FEATURES

Inspired by the intricate patterns of parquet flooring, we have reimagined these historic styles without limitations.

Durable Dryback: Designed with a robust dryback system, that ensures a secure and long-lasting installation.

Scratch resistant: With a 0.55mm wear layer, this flooring offers superior resistance to scratches, scuffs, and daily wear, making it suitable for both residential and commercial use.

Elegant Herringbone Plank Size: The plank size is 304.8 x 76.2mm, ideal for creating a classic

herringbone pattern, adding a timeless and stylish touch to your floors.

Inspired by Nature: Experience unparalleled realism with our emboss in register technology for exceptional realism.

4-Sided Bevel Edge: Each plank features a 4-sided bevel edge, providing depth and dimension to your flooring and achieving a seamless, polished finish.

Buy with confidence: An impressive 15 year residential wear warranty ensures Mosaic is perfect for the hustle and bustle of family life.



Smoky Oak



Brushed Oak



Weathered Cedar



Chestnut



Urban Grey



Antique Walnut

Get in Touch

Sales@abingdonflooring.co.uk

01274 655 694

www.abingdonflooring.co.uk

MOSAIC

Selling Code
14370

PRODUCT SPECIFICATION

Simply
SMOOTH

Dryback

PRODUCT INFORMATION	SPECIFICATION
COLOURS	6
PLANKS PER PACK	96
COVERAGE PER PACK	2.32m ²

DIMENSIONS	SPECIFICATION	STANDARD
THICKNESS	2.5mm	
WEAR LAYER	0.55mm	
LENGTH	304.8mm	
WIDTH	76.2mm	
GROOVE	4 side bevel	

ESSENTIAL CHARACTERISTICS	SPECIFICATION	STANDARD
REACTION TO FIRE	Class Bfl – s1	
EMISSION OF FORMALDEHYDE	Class E1	
CONTENT OF PCP	DL	
THERMAL CONDUCTIVITY		
SLIP RESISTANCE	DS	
SLIP RESTRAINT	R10	

WARRANTY	
RESIDENTIAL	15



* All results are produced from testing of representative production samples and as such are subject to normal tolerances within manufacturing